

EN-300 - Wind turbine


**New
Arrival**





M-300 WIND TURBINE PARAMETER

MODEL	M-300
RATED VOLTAGE(DCV)	12
RATED WIND POWER(W)	100
MAXIMUM WIND POWER (W)	250
START WIND SPEED (M/S)	2
SURVIVAL WIND SPEED (M/S)	45
MODEL OF GENERATOR	PMG – 2 PHASE ALTERNATOR
DIAMETER OF BLADES (M)	0.99
NUMBER OF BLADES (PCS)	6
MATERIAL OF BLADES	FIBER GLASSES
LIFE OF DESIGN (YEARS)	15-20
PACKAGED FORM	PLYWOOD CASE OR CARTON
SIZE OF BOX (mm)	470*410*330
G.W (kg)	15
HEIGHT OF TOWER (m)	6
TYPE OF TOWER	GUY CABLE TOWER
LENGTH OF CABLE (M)	8



สนใจสินค้าติดต่อ

เอ็นจินีโอ กรีนฮอฟ

76/2 ตรงข้ามธนาคารกรุงเทพ สาขาประตูช้างเผือก ถนนช้างเผือก อำเภอเมือง จังหวัดเชียงใหม่

โทร 053 222760 www.engineo.co.th